

RESPIRATORY PROTECTION PROGRAM FOR EMPLOYEES WHO CHOOSE TO WEAR RESPIRATORS

TABLE OF CONTENTS

Program administrator responsibilities	3
Medical evaluation	3
Cleaning, maintenance, and storage	4
<i>CLEANING</i>	<i>4</i>
<i>MAINTENANCE</i>	<i>4</i>
<i>AIR-SUPPLY RESPIRATOR BREATHING-AIR QUALITY</i>	<i>5</i>
<i>RESPIRATOR STORAGE</i>	<i>5</i>
Program review	5
Appendix D to §1910.134 – Information for employees using respirators when not required under the standard (mandatory)	6
Fill-in forms	7
<i>FORM 1: RESPIRATORS FOR VOLUNTARY USE – DETERMINED THROUGH HAZARD ASSESSMENTS</i>	<i>7</i>
<i>FORM 2: MEDICAL RELEASE</i>	<i>10</i>
<i>FORM 3: MEDICAL EVALUATION QUESTIONNAIRE FROM 1910.134, APPENDIX C</i>	<i>11</i>

Voluntary Respiratory Protection Program

This program applies to Southwestern Oregon Community College employees who choose to wear respirators supplied by SWOCC or provided by employees. Voluntary use of respirators must not create a hazard for employees. The program administrator will authorize voluntary use of respirators on a case-by-case basis, depending on workplace conditions and medical evaluation results.

Any employee who voluntarily wears a respirator other than a dust mask is subject to the medical evaluation, cleaning, maintenance, and storage elements of this program. Voluntary respiratory users are provided with the information contained in 1910.134 Appendix D, *Information for Employees Using Respirators When Not Required Under the Standard*.

PROGRAM ADMINISTRATOR RESPONSIBILITIES

The respirator program administrator is responsible for overseeing the voluntary use of respiratory protection. The program administrator is Emerald Brunett.

The program administrator has the following duties:

- Evaluate the workplace for respiratory hazards.
- Ensure that respirators for voluntary use are appropriate for the employee's job and respirator intended use and contaminant.
- Coordinate the medical surveillance program to ensure employees are medically able to use a respirator.
- Train employees on the proper maintenance and storage of respirators.
- Maintain the physician or other licensed health care professional (PLHCP) release to wear a respirator.
- Maintain employee acknowledgement of receiving Appendix D, *Information for Employees Using Respirators When Not Required Under the Standard*.

MEDICAL EVALUATION

Employees who voluntarily choose to wear respirators must be physically able to perform work while wearing a respirator. Employees are not permitted to wear respirators until a PLHCP has determined that they are medically able to do so. Dust masks do not require a medical evaluation for voluntary use.

A PLHCP at North Bend Medical Center, 1900 Woodland Drive, Coos Bay, OR, 97420 will conduct medical evaluations.

- The medical evaluation will be conducted with the questionnaire in Appendix C, 1910.134. The program administrator will provide a copy of this questionnaire to each employee who requires a medical evaluation.
- SWOCC will attempt to assist employees who are unable to read the questionnaire. When this is not possible, an employee will be sent directly to the PLHCP for medical evaluation.
- All affected employees will be given a copy of the medical questionnaire to complete and return to the PLHCP with a stamped, pre-addressed envelope. Employees will be permitted to fill out the questionnaire on company time.
- Follow-up medical exams will be granted to employees as required by 1910.134 or North Bend Medical Center.
- All employees will have the opportunity to speak to the PLHCP about their medical evaluation.

- The program administrator will provide North Bend Medical Center with the following information:
 - A copy of this respiratory protection program and a copy of 1910.134.
 - Each employee’s name, work area, or job title.
 - The employee’s proposed respirator type and weight.
 - The length of time the employee wears the respirator.
 - The employee’s expected physical work load (light, moderate, or heavy), environmental potential temperature and humidity extremes, and a description of protective clothing the employee must wear.

Additional medical evaluations will be provided under the following circumstances:

- The employee reports signs and/or symptoms related to his or her ability to use a respirator, such as shortness of breath, dizziness, chest pains, or wheezing.
- The supervisor informs the program administrator that the employee needs to be re-evaluated.
- A change occurs in workplace conditions that may result in an increased physiological burden on the employee.

Information from medical evaluations and questionnaires is confidential and can be shared only between the employee and the PLHCP.

CLEANING, MAINTENANCE, AND STORAGE

CLEANING

Respirators must be regularly cleaned and disinfected at the respirator cleaning station in Facilities or Eden. Respirators must be cleaned as often as necessary to keep them sanitary.

The following procedure must be used for cleaning and disinfecting respirators:

1. Disassemble respirator. Remove filters, canisters, or cartridges.
2. Wash the facepiece and parts in warm water with mild detergent. Do not use organic solvents.
3. Rinse completely in clean warm water.
4. Wipe the respirator with disinfectant wipes.
5. Air-dry the respirator in a clean area.
6. Reassemble the respirator, inspect it, and replace defective parts.
7. Put the respirator in a clean, dry, plastic bag or other airtight container.

The program administrator will ensure an adequate supply of appropriate cleaning and disinfectant materials at the cleaning stations. Employees should contact their supervisor or the program administrator when supplies are low.

MAINTENANCE

Respirators must be properly maintained to ensure that they work properly. Maintenance involves a thorough visual inspection for cleanliness and defects. Replace defective, worn, or deteriorated respirator components using manufacturer parts.

Indicators that air-purifying particulate respirator filters, cartridge, or filtering facepiece needs to be replaced are an increase in breathing resistance; a contaminated cartridge surface; or a damaged filter.

Note to users of this program: Replacement indicators for air-purifying respirators for protection against gases and vapor are more complex because odor and irritation are not considered adequate warning properties. End-of-service-life indicators (ESLI) are available only for a limited number of chemicals. Change-out schedules must be developed to ensure that canisters and cartridges are replaced before chemical breakthrough occurs.

AIR-SUPPLY RESPIRATOR BREATHING-AIR QUALITY

Use the following checklist to ensure proper respirator function:

Respirator inspection checklist	
Facepiece	<input type="checkbox"/> No cracks, tears, or holes <input type="checkbox"/> No facemask distortion <input type="checkbox"/> No cracked or loose lenses or face shield
Head straps	<input type="checkbox"/> No breaks or tears <input type="checkbox"/> No broken buckles
Valves	<input type="checkbox"/> No residue or dirt, cracks, or tears in valve material
Filters and cartridges	<input type="checkbox"/> NIOSH approved <input type="checkbox"/> Gaskets seat properly <input type="checkbox"/> No cracks or dents in housing <input type="checkbox"/> Proper cartridge for hazards

RESPIRATOR STORAGE

Respirators must be stored in a clean, dry area in accordance with the manufacturer's recommendations. Employees must clean and inspect their air-purifying respirators in accordance with the provisions of this program and store them in plastic bags in a clean area. Position respirators so that the facepiece and exhalation valves do not become distorted. Each employee must have his or her name on the bag and use it only to store the respirator.

The program administrator will store unused respirators and respirator components in their original manufacturer's packaging in **Facilities Director's office**.

PROGRAM REVIEW

The program administrator will evaluate the voluntary-respirator program annually to ensure that it's adequate and that employee concerns regarding respiratory protection are addressed.

Review date: November 3, 2014

Program administrator signature: _____

APPENDIX D TO §1910.134 – INFORMATION FOR EMPLOYEES USING RESPIRATORS WHEN NOT REQUIRED UNDER THE STANDARD (MANDATORY)

Respirators are an effective method of protection against designated hazards when properly selected and worn. Respirator use is encouraged, even when exposures are below the exposure limit, to provide an additional level of comfort and protection for workers. However, if a respirator is used improperly or not kept clean, the respirator itself can become a hazard to the worker. Sometimes, workers may wear respirators to avoid exposures to hazards, even if the amount of hazardous substance does not exceed the limits set by OSHA standards. If your employer provides respirators for your voluntary use, or if you provide your own respirator, you need to take certain precautions to be sure that the respirator itself does not present a hazard.

You should do the following:

1. Read and heed all instructions provided by the manufacturer on use, maintenance, cleaning and care, and warnings regarding the respirators limitations.
2. Choose respirators certified for use to protect against the contaminant of concern. NIOSH, the National Institute for Occupational Safety and Health of the U.S. Department of Health and Human Services, certifies respirators. A label or statement of certification should appear on the respirator or respirator packaging. It will tell you what the respirator is designed for and how much it will protect you.
3. Do not wear your respirator into atmospheres containing contaminants for which your respirator is not designed to protect against. For example, a respirator designed to filter dust particles will not protect you against gases, vapors, or very small solid particles of fumes or smoke.
4. Keep track of your respirator so that you do not mistakenly use someone else's respirator.

[63 FR 1270, Jan. 8, 1998; 63 FR 20098, 20099, Apr. 23, 1998]

Stat. Auth.: ORS 654.025(2) and 656.726(3).

Stats. Implemented: ORS 654.001 through 654.295.

Hist: OR-OSHA Admin. Order 3-1998, f. 7/7/98, ef. 7/7/98.

FILL-IN FORMS

FORM 1: RESPIRATORS FOR VOLUNTARY USE — DETERMINED THROUGH HAZARD ASSESSMENTS ON MAY 15, 2014

Respirators for voluntary use at Southwestern Oregon Community College

Respirator	Area affected	Employees affected	Hazard																																																																						
3M 5101 respirator with N95 dust filter	Eden Pottery Studio (outside on patio)	James Fritz	<p><u>Mixing Dry Glazes</u> Employee exposures are shown below compared to the OR-OSHA Permissible Exposure Limits (PELs) as (TWA) in mg/m³:</p> <p>Table 2 Mixing Ceramic Glazes <i>Personal Metals, Metal Oxide, and Total Dust Air Sampling Results. Date of Sampling: May 15, 2014.</i></p> <table border="1"> <thead> <tr> <th colspan="5">Employee: James Fritz, Art Instructor</th> </tr> <tr> <td colspan="5">Activity: Mixing Copper Red, Bluestone, Bamboo, Shino, and Transparent glazes.</td> </tr> <tr> <td colspan="5">Sample Time: 3:00 pm to 4:00 pm (60 minutes). Task lasted 19 minutes (3:08 to 3:27 pm), but needed to sample longer for analysis.</td> </tr> <tr> <th>Air Contaminant</th> <th>Sampling Results (mg/m³)</th> <th>Time-weighted average for 8-hour day (mg/m³)*</th> <th>OR-OSHA PEL (mg/m³)</th> <th>ACGIH TLV (mg/m³)</th> </tr> <tr> <td>Copper</td> <td>0.011</td> <td>0.0014</td> <td>0.1</td> <td>0.025</td> </tr> <tr> <td>Cobalt</td> <td>0.0022</td> <td>0.0003</td> <td>1.0</td> <td>1.0</td> </tr> <tr> <td>Iron oxide</td> <td>ND <0.070</td> <td><0.0088</td> <td>10</td> <td>5.0</td> </tr> <tr> <td>Total dust</td> <td>1.3</td> <td>0.16</td> <td>10</td> <td>NE</td> </tr> </thead></table> <p><small>Key: *Assumes no exposure for rest of day. mg/m³ = milligrams per cubic meter ND < = not detected, below the level of quantitation listed PEL = permissible exposure limit TLV = Threshold Limit Value NE = Not Established</small></p> <p>Table 3 Mixing Ceramic Glazes <i>Personal Respirable Crystalline Silica (Quartz) and Respirable Dust Air Sampling Results. Date of Sampling: May 15, 2014.</i></p> <table border="1"> <thead> <tr> <th colspan="5">Employee: James Fritz, Art Instructor</th> </tr> <tr> <td colspan="5">Activity: Mixing Copper Red, Bluestone, Bamboo, Shino, and Transparent glazes.</td> </tr> <tr> <td colspan="5">Sample Time: 12:55 pm to 3:57 pm (182 minutes). Task lasted 19 minutes (3:08 to 3:27 pm), but needed to sample longer for analysis.</td> </tr> <tr> <th>Air Contaminant</th> <th>Sampling Results (mg/m³)</th> <th>Time-weighted average for 8-hour day (mg/m³)*</th> <th>OR-OSHA PEL (mg/m³)</th> <th>ACGIH TLV (mg/m³)</th> </tr> <tr> <td>Respirable Crystalline Silica (Quartz)</td> <td>0.016</td> <td>0.006</td> <td>0.1</td> <td>0.025</td> </tr> <tr> <td>Respirable Dust</td> <td>ND <0.11</td> <td><0.042</td> <td>5</td> <td>NE</td> </tr> </thead></table> <p><small>Key: *Assumes no exposure for rest of day. mg/m³ = milligrams per cubic meter ND < = not detected, below the level of quantitation listed PEL = permissible exposure limit NE = Not Established</small></p>	Employee: James Fritz, Art Instructor					Activity: Mixing Copper Red, Bluestone, Bamboo, Shino, and Transparent glazes.					Sample Time: 3:00 pm to 4:00 pm (60 minutes). Task lasted 19 minutes (3:08 to 3:27 pm), but needed to sample longer for analysis.					Air Contaminant	Sampling Results (mg/m ³)	Time-weighted average for 8-hour day (mg/m ³)*	OR-OSHA PEL (mg/m ³)	ACGIH TLV (mg/m ³)	Copper	0.011	0.0014	0.1	0.025	Cobalt	0.0022	0.0003	1.0	1.0	Iron oxide	ND <0.070	<0.0088	10	5.0	Total dust	1.3	0.16	10	NE	Employee: James Fritz, Art Instructor					Activity: Mixing Copper Red, Bluestone, Bamboo, Shino, and Transparent glazes.					Sample Time: 12:55 pm to 3:57 pm (182 minutes). Task lasted 19 minutes (3:08 to 3:27 pm), but needed to sample longer for analysis.					Air Contaminant	Sampling Results (mg/m ³)	Time-weighted average for 8-hour day (mg/m ³)*	OR-OSHA PEL (mg/m ³)	ACGIH TLV (mg/m ³)	Respirable Crystalline Silica (Quartz)	0.016	0.006	0.1	0.025	Respirable Dust	ND <0.11	<0.042	5	NE
Employee: James Fritz, Art Instructor																																																																									
Activity: Mixing Copper Red, Bluestone, Bamboo, Shino, and Transparent glazes.																																																																									
Sample Time: 3:00 pm to 4:00 pm (60 minutes). Task lasted 19 minutes (3:08 to 3:27 pm), but needed to sample longer for analysis.																																																																									
Air Contaminant	Sampling Results (mg/m ³)	Time-weighted average for 8-hour day (mg/m ³)*	OR-OSHA PEL (mg/m ³)	ACGIH TLV (mg/m ³)																																																																					
Copper	0.011	0.0014	0.1	0.025																																																																					
Cobalt	0.0022	0.0003	1.0	1.0																																																																					
Iron oxide	ND <0.070	<0.0088	10	5.0																																																																					
Total dust	1.3	0.16	10	NE																																																																					
Employee: James Fritz, Art Instructor																																																																									
Activity: Mixing Copper Red, Bluestone, Bamboo, Shino, and Transparent glazes.																																																																									
Sample Time: 12:55 pm to 3:57 pm (182 minutes). Task lasted 19 minutes (3:08 to 3:27 pm), but needed to sample longer for analysis.																																																																									
Air Contaminant	Sampling Results (mg/m ³)	Time-weighted average for 8-hour day (mg/m ³)*	OR-OSHA PEL (mg/m ³)	ACGIH TLV (mg/m ³)																																																																					
Respirable Crystalline Silica (Quartz)	0.016	0.006	0.1	0.025																																																																					
Respirable Dust	ND <0.11	<0.042	5	NE																																																																					

Respirator	Area affected	Employees affected	Hazard
			<p>During the sampling period, dry glaze mixing was done in the classroom (outside of regular class time to minimize bystander dust exposure). In general, ceramic dry glazes are 98% powdered clays and silica. Metal oxides and carbonates are 2% or less of glaze formulas. The mixing occurs once per quarter, in an average of 3 mixing sessions, where the creation of airborne dust usually occurs for 5 minutes or less. A 3M 5101 respirator with an N95 dust filter is worn during this process. Visible dust clouds were observed moving across the studio area when the glaze bags were poured out in the pails containing water, potentially exposing others to this dust.</p> <p>Respirators are not required, but are recommended for employee use and this process is required to be done outside the pottery studio.</p>
3M 5101 respirator with N95 dust filter.	Eden Pottery Studio (outside on patio)	James Fritz	<p><u>Abrasive Sandblasting</u></p> <p>Abrasive sandblasting is done in an enclosed, ventilated glove box; the abrasive product is crystalline-silica free.</p> <p>Respirators are not required, but dust masks or respirators are available for employee use.</p>
3M 5101 respirator with N95 dust filter.	Brown Shed behind Art Department	James Fritz	<p><u>Ceramic Shell Investment Molding</u></p> <p>Ceramic shell investment molding is done in the brown shed behind the Art Department. In this process, dry fused silica is used in making molds for the bronze casting process. Inside the shed, wax sculptures are dipped in a colloidal silica suspension (wet) and then the dry fused silica sand is applied to the wet surface. The 3m 5101 with N95 filter respirator is worn during the entire process. This occurs during 2 weeks per quarter, over the course of 9 to 18 separate applications, each lasting ½ hour in duration. The fused silica material contains 99% amorphous silica and less than 1% crystalline silica (cristobalite). Amorphous silica is a less hazardous form than crystalline silica.</p> <p>Due to the low potential for exposure to crystalline silica dust in the air, respirators are recommended, but not required.</p>

Respirator	Area affected	Employees affected	Hazard
Half-mask Air- Purifying Respirator	Facilities Workshop	Rob Liggett	<p data-bbox="786 298 948 323"><u>Coating Doors</u></p> <p data-bbox="786 331 1398 516">Wooden doors are coated a couple times per year using MinWax Polyurethane containing mineral spirits applied using a brush. The shop is ventilated with a portable fan during this task. Each door takes about 15 minutes to complete. No respiratory protection is worn during the task.</p> <p data-bbox="786 558 1338 617">Respirators are not required, but are available for employee use.</p>
Half-mask Air- Purifying Respirator	Facilities Workshop		<p data-bbox="786 625 1013 651"><u>Gluing Backsplashes</u></p> <p data-bbox="786 659 1365 844">DAP contact cement is used to attach laminate to particle board, on components such as backsplashes. This is a two coat process using a roller, and is done a couple time per year. The shop is ventilated with a portable fan during this task. Two backsplashes take about 35 minutes to complete.</p> <p data-bbox="786 886 1321 945">Respirators are not required, but are available for employee use.</p>

FORM 2: MEDICAL RELEASE

INFORMATION PROVIDED TO THE PHYSICIAN

Employee name:

Date:

Job:

Work location:

Type and weight of respirator:

To be used under the following conditions:

- *Duration and frequency of use:*
- *Expected physical effort:*
- *Additional protective clothing and equipment:*
- *Environmental temperature and humidity extremes:*

Estimated frequency of cartridge/filter replacement:

MEDICAL EVALUATION: PHYSICIAN RELEASE

Is employee medically able to use the respirator? Yes No

Identify any limitations on respirator use:

If a follow-up medical evaluation is required, date:

Employee has been given a copy of this recommendation. Yes No

Signature of physician
or other licensed health-care provider: _____

Date: _____

FORM 3: MEDICAL EVALUATION QUESTIONNAIRE FROM 1910.134, APPENDIX C

To the employer: Answers to questions in Section 1, and to question 9 in Section 2 of Part A, do not require a medical examination.

To the employee: Your employer must allow you to answer this questionnaire during normal working hours or at a time and place that is convenient for you. To maintain your confidentiality, your employer or supervisor must not see your answers. Your employer will tell you how to deliver this questionnaire to the health-care professional who will review it.

To obtain this form in Spanish, go to the CD's main page and see "Spanish-language resources."

PART A. SECTION 1. MANDATORY

The following information must be provided by every employee who has been selected to use any type of respirator. (Please print.)

1. Today's date:
2. Your name:
3. Your age (*to nearest year*):
4. Sex (*check one*): Male Female
5. Your height: feet inches
6. Your weight: pounds
7. Your job title:
8. A phone number where you can be reached by the health-care professional who reviews this questionnaire (*Include area code.*):
9. The best time to phone you at this number:
10. Has your employer told you how to contact the health-care professional who will review this questionnaire? (*Check one.*) Yes No
11. Check the type of respirator you will use (you can check more than one category):
 N, R, or P disposable respirator (filter-mask, non-cartridge type only).
 Other type (for example, half- or full-facepiece type, powered air-purifying, supplied-air, self-contained breathing apparatus).
12. Have you worn a respirator? (*Check one.*) Yes No
If yes, what type(s):

PART A. SECTION 2. MANDATORY

Questions 1 through 9 below must be answered by every employee who has been selected to use any type of respirator. (Check “yes” or “no.”)

- 1. Do you currently smoke tobacco, or have you smoked tobacco in the last month? Yes No
- 2. Have you ever had any of the following conditions?
 - a. Seizures (*fits*): Yes No
 - b. Diabetes (*sugar disease*) Yes No
 - c. Allergic reactions that interfere with your breathing Yes No
 - d. Claustrophobia (*fear of closed-in places*) Yes No
 - e. Trouble smelling odors Yes No
- 3. Have you ever had any of the following pulmonary or lung problems?
 - a. Asbestosis Yes No
 - b. Asthma Yes No
 - c. Chronic bronchitis..... Yes No
 - d. Emphysema Yes No
 - e. Pneumonia..... Yes No
 - f. Tuberculosis..... Yes No
 - g. Silicosis..... Yes No
 - h. Pneumothorax (collapsed lung) Yes No
 - i. Lung cancer..... Yes No
 - j. Broken ribs..... Yes No
 - k. Chest injuries or chest surgeries..... Yes No
 - l. Any other lung problem that you’ve been told about..... Yes No
- 4. Do you currently have any of the following symptoms of pulmonary or lung illness?
 - a. Shortness of breath..... Yes No
 - b. Shortness of breath when walking fast on level ground or walking up a slight hill or incline Yes No
 - c. Shortness of breath when walking with other people at an ordinary pace on level ground..... Yes No
 - d. Do you have to stop for breath when walking at your own pace on level ground..... Yes No
 - e. Do you have shortness of breath when washing or dressing yourself Yes No
 - f. Do you have shortness of breath that interferes with your job Yes No
 - g. Do you have coughing that produces phlegm (thick sputum) Yes No
 - h. Do you have coughing that wakes you early in the morning..... Yes No
 - i. Do you have coughing that occurs mostly when you are lying down..... Yes No
 - j. Have you coughed up blood in the last month Yes No
 - k. Do you wheeze..... Yes No
 - l. Do you have wheezing that interferes with your job..... Yes No
 - m. Do you have chest pain when you breathe deeply..... Yes No
 - n. Do you have any other symptoms that you think may be related to lung problems..... Yes No
- 5. Have you ever had any of the following cardiovascular or heart problems?
 - a. Heart attack Yes No
 - b. Stroke..... Yes No
 - c. Angina Yes No
 - d. Heart failure..... Yes No
 - e. Swelling in your legs or feet (not caused by walking)..... Yes No

Part A. Section 2. Mandatory (cont.)

- f. Heart arrhythmia (*heart beating irregularly*) Yes No
- g. High blood pressure Yes No
- h. Any other heart problem that you've been told about Yes No
- 6. Have you ever had any of the following cardiovascular or heart symptoms?
 - a. Frequent pain or tightness in your chest Yes No
 - b. Pain or tightness in your chest during physical activity Yes No
 - c. Pain or tightness in your chest that interferes with your job Yes No
 - d. In the past two years, have you noticed your heart skipping or missing a beat Yes No
 - e. Heartburn or indigestion that is not related to eating Yes No
 - f. Any other symptoms that you think may be related to heart or circulation problems Yes No
- 7. Do you take medication for any of the following problems?
 - a. Breathing or lung problems Yes No
 - b. Heart trouble Yes No
 - c. Blood pressure Yes No
 - d. Seizures (fits) Yes No
- 8. If you've used a respirator, have you ever had any of the following problems?
(*If you've never used a respirator, go to question 9.*)
 - a. Eye irritation Yes No
 - b. Skin allergies or rashes Yes No
 - c. Anxiety Yes No
 - d. General weakness or fatigue Yes No
 - e. Any other problem that interferes with your use of a respirator Yes No
- 9. Would you like to talk to the health care professional who will review this questionnaire about your answers to this questionnaire Yes No

Questions 10 to 15 below must be answered by every employee who has been selected to use either a full-facepiece respirator or a self-contained breathing apparatus (SCBA). For employees who have been selected to use other types of respirators, answering these questions is voluntary.

- 10. Have you ever lost vision in either eye (*temporarily or permanently*) Yes No
- 11. Do you have any of the following vision problems?
 - a. Wear contact lenses Yes No
 - b. Wear glasses Yes No
 - c. Color blind Yes No
 - d. Any other eye or vision problem Yes No
- 12. Have you ever had an injury to your ears, including a broken ear drum Yes No
- 13. Do you currently have any of the following hearing problems?
 - a. Difficulty hearing Yes No
 - b. Wear a hearing aid Yes No
 - c. Any other hearing or ear problem Yes No
- 14. Have you ever had a back injury Yes No

Part A. Section 2. Mandatory (cont.)

15. Do you currently have any of the following musculoskeletal problems?
- a. Weakness in your arms, hands, legs, or feet Yes No
 - b. Back pain..... Yes No
 - c. Difficulty moving your arms and legs..... Yes No
 - d. Pain or stiffness when you lean forward or backward at the waist Yes No
 - e. Difficulty fully moving your head up or down Yes No
 - f. Difficulty fully moving your head side to side Yes No
 - g. Difficulty bending at your knees Yes No
 - h. Difficulty squatting to the ground Yes No
 - i. Climbing a flight of stairs or a ladder carrying more than 25 pounds Yes No
 - j. Any other muscle or skeletal problem that interferes
with using a respirator Yes No

PART B. SECTION 2

Any of the following questions as well as questions not listed here may be added to the questionnaire at the discretion of the health-care professional who will review the questionnaire.

1. In your present job, are you working at high altitudes (over 5,000 feet) or in a place that has lower than normal amounts of oxygen? Yes No
If yes, do you have feelings of dizziness, shortness of breath, pounding in your chest, or other symptoms when you're working under these conditions? Yes No
2. At work or at home, have you ever been exposed to hazardous solvents, hazardous airborne chemicals (e.g., gases, fumes, or dust), or have you come into skin contact with hazardous chemicals? Yes No
If yes, name the chemicals, if you know them:
3. Have you ever worked with any of the materials or under any of the conditions listed below:
 - a. Asbestos Yes No
 - b. Silica (e.g., in sandblasting) Yes No
 - c. Tungsten/cobalt (e.g., grinding or welding this material) Yes No
 - d. Beryllium Yes No
 - e. Aluminum Yes No
 - f. Coal (for example, mining) Yes No
 - g. Iron Yes No
 - h. Tin Yes No
 - i. Dusty environments Yes No
 - j. Any other hazardous exposures Yes No

If yes, describe these exposures:
4. List any second jobs or side businesses you have:
5. List your previous occupations:
6. List your current and previous hobbies:
7. Have you been in the military services? Yes No
If yes, were you exposed to biological or chemical agents (either in training or combat)? Yes No
8. Have you ever worked on a HAZMAT team? Yes No
9. Other than medications for breathing and lung problems, heart trouble, blood pressure, and seizures mentioned earlier in this questionnaire, are you taking any other medications for any reason (including over-the-counter medications)? Yes No
If yes, name the medications, if you know them:
10. Will you be using any of the following items with your respirator(s)?
 - a. HEPA filters Yes No
 - b. Canisters (for example, gas masks) Yes No
 - c. Cartridges Yes No
11. How often are you expected to use the respirator(s)? Check yes or no for all answers that apply to you.
 - a. Escape only (no rescue) Yes No
 - b. Emergency rescue only Yes No
 - c. Less than 5 hours per week Yes No
 - d. Less than 2 hours per day Yes No
 - e. 2 to 4 hours per day Yes No
 - f. Over 4 hours per day Yes No

Part B. Section 2 (cont.)

12. During the period you are using the respirator(s), is your work effort:
- a. Light Yes No
If yes, how long does this period last during the average shift? hours: minutes:
Examples of a light work effort are sitting while writing, typing, drafting, or performing light assembly work; standing while operating a drill press (1-3 lbs.) controlling machines.
- b. Moderate Yes No
If yes, how long does this period last during the average shift? hours: minutes:
Examples of moderate work effort are sitting while nailing or filing; driving a truck or bus in urban traffic; standing while drilling, nailing, performing assembly work, or transferring a moderate load (about 35 lbs.) at trunk level; walking on a level surface about 2 mph or down a 5-degree grade about 3 mph; or pushing a wheelbarrow with a heavy load (about 100 lbs.) on a level surface.
- c. Heavy Yes No
If yes, how long does this period last during the average shift; hours: minutes:
Examples of heavy work are lifting a heavy load (about 50 lbs.) from the floor to your waist or shoulder; working on a loading dock; shoveling; standing while bricklaying or chipping castings; walking up an 8-degree grade about 2 mph; climbing stairs with a heavy load (about 50 lbs.).
13. Will you be wearing protective clothing and/or equipment (other than the respirator) when you're using your respirator? Yes No
If yes, describe this protective clothing and/or equipment:
14. Will you be working under hot conditions? (*temperature exceeding 77°F*) Yes No
15. Will you be working under humid conditions? Yes No
16. Describe the work you'll be doing while you're using your respirator(s):
17. Describe any special or hazardous conditions you might encounter when you're using your respirator(s) (for example, confined spaces, life-threatening gases):
18. Provide the following information, if you know it, for each toxic substance that you'll be exposed to when you're using your respirator(s):
- Name of the first toxic substance:
 - Estimated maximum exposure level per shift:
 - Duration of exposure per shift:
 - Name of the second toxic substance:
 - Estimated maximum exposure level per shift:
 - Duration of exposure per shift:
 - Name of the third toxic substance:
 - Estimated maximum exposure level per shift:
 - Duration of exposure per shift:
 - Name of any other toxic substances you'll be exposed to while using your respirator:
19. Describe any special responsibilities you'll have while using your respirator(s) that may affect the safety and well being of others (*for example, rescue, or security*):